CSE 512 - Data Visualization

Text Visualization



Jeffrey Heer University of Washington

Why Visualize Text?

Why Visualize Text?

Understanding - get the "gist" of a document

Grouping - cluster for overview or classification

Comparison - compare document collections, or inspect evolution of collection over time


Correlation - compare patterns in text to those in other data, e.g., correlate with social network

Text as Data

Documents

Articles, books and novels E-mails, web pages, blogs Tags, comments

Computer programs, logs



Collections of Documents

Messages (e-mail, blogs, tags, comments) Social networks (personal profiles)

Academic collaborations (publications)

Example: Health Care Reform

Example: Health Care Reform

Recent History

Initiatives by President Clinton Overhaul by President Obama

Text Data

News articles
Speech transcriptions
Legal documents

What questions might you want to answer? What visualizations might help?

A Concrete Example

September 10, 2009

TEXT

Obama's Health Care Speech to Congress

Following is the prepared text of President Obama's speech to Congress on the need to overhaul health care in the United States, as released by the White House.

Madame Speaker, Vice President Biden, Members of Congress, and the American people:

When I spoke here last winter, this nation was facing the worst economic crisis since the Great Depression. We were losing an average of 700,000 jobs per month. Credit was frozen. And our financial system was on the verge of collapse.

As any American who is still looking for work or a way to pay their bills will tell you, we are by no means out of the woods. A full and vibrant recovery is many months away. And I will not let up until those Americans who seek jobs can find them; until those businesses that seek capital and credit can thrive; until all responsible homeowners can stay in their homes. That is our ultimate goal. But thanks to the bold and decisive action we have taken since January, I can stand here with confidence and say that we have pulled this economy back from the brink.


I want to thank the members of this body for your efforts and your support in these last several months, and especially those who have taken the difficult votes that have put us on a path to recovery. I also want to thank the American people for their patience and resolve during this trying time for our nation.

But we did not come here just to clean up crises. We came to build a future. So tonight, I return to speak to all of you

Tag Clouds: Word Count

President Obama's Health Care Speech to Congress [NY Times]







Bill Clinton 1993



Word Tree: Word Sequences

Visualizations: Word Tree President Obama's Address to Congress on Health Care





Gulfs of Evaluation

Many text visualizations do not represent the text directly. They represent the output of a **language model** (word counts, word sequences, etc.).

- Can you interpret the visualization? How well does it convey the properties of the model?
- Do you trust the model? How does the model enable us to reason about the text?

Text Visualization Challenges

High Dimensionality

Where possible use text to represent text...

... which terms are the most descriptive?

Context & Semantics

Provide relevant context to aid understanding.

Show (or provide access to) the source text.

Modeling Abstraction

Determine your analysis task.

Understand abstraction of your language models.

Match analysis task with appropriate tools and models.

Topics

Text as Data

Visualizing Document Content

Evolving Documents

Visualizing Conversation

Document Collections

Text as Data

Words as nominal data?

High dimensional (10,000+)

More than equality tests

Words have meanings and relations

- Correlations: Hong Kong, San Francisco, Bay Area
- Order: April, February, January, June, March, May
- Membership: Tennis, Running, Swimming, Hiking, Piano
- Hierarchy, antonyms & synonyms, entities, ...

Text Processing Pipeline

1. Tokenization

Segment text into terms.

Remove stop words? a, an, the, of, to, be

Numbers and symbols? #gocard, @stanfordfball, Beat Cal!!!!!!!

Entities? San Francisco, O'Connor, U.S.A.

Text Processing Pipeline

1. Tokenization

Segment text into terms.

Remove stop words? a, an, the, of, to, be

Numbers and symbols? #gocard, @stanfordfball, Beat Cal!!!!!!!

Entities? San Francisco, O'Connor, U.S.A.

2. Stemming

Group together different forms of a word.

Porter stemmer? visualization(s), visualize(s), visually -> visual

Lemmatization? goes, went, gone -> go

Text Processing Pipeline

1. Tokenization

Segment text into terms.

Remove stop words? a, an, the, of, to, be

Numbers and symbols? #gocard, @stanfordfball, Beat Cal!!!!!!!!

Entities? San Francisco, O'Connor, U.S.A.

2. Stemming

Group together different forms of a word.

Porter stemmer? visualization(s), visualize(s), visually -> visual

Lemmatization? goes, went, gone -> go

3. Ordered list of terms

Bag of Words Model

Ignore ordering relationships within the text

A document ≈ vector of term weights

- Each dimension corresponds to a term (10,000+)
- Each value represents the relevance
 For example, simple term counts

Aggregate into a document-term matrix

Document vector space model

Document-Term Matrix

Each document is a vector of term weights
Simplest weighting is to just count occurrences

	Antony and Cleopatra	Julius Caesar	The Tempest	Hamlet	Othello	Macbeth
Antony	157	73	0	0	0	0
Brutus	4	157	0	1	0	0
Caesar	232	227	0	2	1	1
Calpurnia	0	10	0	0	0	0
Cleopatra	57	0	0	0	0	0
mercy	2	0	3	5	5	1
worser	2	0	1	1	1	0

WordCounts (Harris '04)

		WORDCOUNT
◀ PREVIOUS WORD		NEXT WORD >
	of and to a in that it is was in for gon you be be with as by a beautiful to a second to a in the control of th	Magachul faoilt in from Joyleich swag of hin Joyne de Commande Sea Sea Sea Sea Sea Sea Sea Sea Sea Se
CURRENT WORD		
FIND WORD:	► BY RANK: ► REQUESTED WORD: THE	86800 WORDS IN ARCHIVE

http://wordcount.org

Visualizations: Wordle of Sarah Palin RNC 9/3/2008 Speech

Creator: Anonymous

Tags:

Edit Language Font Layout Color



Tag Clouds

Strengths

Can help with gisting and initial query formation.

Weaknesses

Sub-optimal visual encoding (size vs. position)


Inaccurate size encoding (long words are bigger)

May not facilitate comparison (unstable layout)


Term frequency may not be meaningful

Does not show the structure of the text

Given a text, what are the best descriptive words?



Partisan Words, 106th Congress, Abortion (Log-Odds-Ratio, Smoothed Log-Odds-Ratio)



Partisan Words, 106th Congress, Abortion (Weighted Log-Odds-Ratio, Informative Dirichlet Prior) 15 women woman right decis her doctor 10 durbin choos santorum • durbin oum doctor pennsylvania pregnanc • per by grainc viabil • viabil • friend • privaci • famili 2 friend privaci their famili amend iowa militari 0 necessari fact brain brutal infant aliv • healthigh birthperform - 2 deliv dr mother head abort perform birth procedur healthi kill partial -10 child born mother babi abort procedur kill babi -15 100 10000 1 Frequency of Word within Topic

Keyword Weighting

Term Frequency

```
tf_{td} = count(t) in d
```

Can take log frequency: $log(1 + tf_{td})$

Can normalize to show proportion: $tf_{td} / \Sigma_t tf_{td}$

Keyword Weighting

Term Frequency

$$tf_{td} = count(t) in d$$

TF.IDF: Term Freq by Inverse Document Freq

```
tf.idf_{td} = log(1 + tf_{td}) \times log(N/df_t)

df_t = \# docs containing t; N = \# of docs
```

Keyword Weighting

Term Frequency

$$tf_{td} = count(t) in d$$

TF.IDF: Term Freq by Inverse Document Freq

$$tf.idf_{td} = log(1 + tf_{td}) \times log(N/df_t)$$

 $df_t = \# docs containing t; N = \# of docs$

G²: Probability of different word frequency

$$\begin{aligned} E_1 &= |d| \times (tf_{td} + tf_{t(C-d)}) / |C| \\ E_2 &= |C-d| \times (tf_{td} + tf_{t(C-d)}) / |C| \\ G^2 &= 2 \times (tf_{td} \log(tf_{td}/E_1) + tf_{t(C-d)} \log(tf_{t(C-d)}/E_2)) \end{aligned}$$

Limitations of Freq. Statistics

Typically focus on unigrams (single terms)

Often favors frequent (TF) or rare (IDF) terms

Not clear that these provide best description

A "bag of words" ignores additional information

Grammar / part-of-speech

Position within document


Recognizable entities


How do people describe text?

We asked 69 subjects (graduate students) to read and describe dissertation abstracts.

Students were given 3 documents in sequence; they then described the collection as a whole.

Students were matched to both familiar and unfamiliar topics; topical diversity within a collection was varied systematically.







Term Commonness

$$log(tf_w) / log(tf_{the})$$


The normalized term frequency relative to the most frequent n-gram, e.g., the word "the".

Measured across a corpus or across the entire English language (using Google n-grams)






Scoring Terms with Freq, Grammar & Position













A fighter jet rain check

Story and video by Chamila Jayaweera

Have you ever thought about what it takes to make sure that sea-based fighter jets stay dry?

When it comes to the F/A-18 Super Hornet, Boeing engineers in St. Louis use a special process called the Water Check Test to rule out areas where moisture could seep into the aircraft and its electronics suite.

Program experts douse the jet with simulated rain at a 15-inch-per-hour rate for about 20 minutes inside an enormous hangar in St. Louis.

"Our ultimate customers are U.S. Navy fighter pilots, and we want to ensure their safety in flight and on the ground, and water-tight integrity of the aircraft also



CHAMILA JAYAWEERA/BOEING

The Water Check team rolls in a large metal frame, which they affectionately call their "spray tree," over a Super Hornet inside a St. Louis hangar.

helps increase their effectiveness," said Boeing's Rich Baxter, F/A-18 Super Hornet final assembly manager.

To find out moreabout how the process works and watch the action unfold, click above to see the video story.




Regression Model

fighter F/A Hornet Super Boeing -18 rain St. jet Louis 15-inch-per-hour douse hangar water-tight Check Baxter sea-based aircraft Rich seep click Navy sure Water moisture watch enormous

want

Super Hornet F/A -18 fighter jet Boeing engineers special process rain check electronics suite Program experts simulated rain ultimate customers enormous hangar water-tight integrity Rich Baxter 15-inch-per-hour rate video story aircraft U.S. Navy fighter pilots Super Hornet final assembly manager iighler pilot sea-based iighler

Yelp Review Spotlight (Yatani 2011)



Yelp Review Spotlight (Yatani 2011)

109 amazing around baked bar bass best chef delicious eat

elite e


hawaiia

night

exp€

sake

tabl



Mentioned 63 times

possess sage of the halos wisdom , and know in advance sushi zone only accepts cash and the waits will be **long** and arduous .

yes , its a long wait , learn the master of zen if you want to eat here .

Tips: Descriptive Phrases

Understand the limitations of your language model.

Bag of words:

Easy to compute

Single words

Loss of word ordering

Select appropriate model and visualization

Generate longer, more meaningful phrases

Adjective-noun word pairs for reviews

Show keyphrases within source text


Document Content


Information Retrieval

Search for documents


Match query string with documents

Visualization to contextualize results






TileBars [Hearst]



2007

The 2007 State of the Union Address


Over the years, President Bush's State of the Union address has averaged almost 5,000 words each, meaning the the President has delivered over 34,000 words. Some words appear frequently while others appear only sporadically. Use the tools below to analyze what Mr. Bush has said.




was analogous to the State of the Union, but without the title. Ben Werschkul/The New York Times

Concordance

What is the common local context of a term?




Down the Rabbit-Hole







if love be rough with you, be rough with love.
if love be blind, love cannot hit the mark.
if love be blind, it best agrees with night.




Word Tree [Wattenberg et al.]



Filter Infrequent Runs



Recurrent Themes in Speeches





explore visualizations data sets comments topic hubs

participate

create visualization upload data set create topic hub register

learn more

quick start visualization types data format & style about Many Eyes FAQ blog

contact Us contact

report a bug

legal terms of use

Popular Dataset Tags

2007 2008 bible blog

books Census crime

education eharmony election energy food

health network


people politics population

president prices religion

Visualizations: Word tree / Alberto Gonzales

Creator: Martin Wattenberg

Tags:



Data source: CQ Transcript Wire via the Washington Post







Data file: Word in testimony from Gonzales, 4/19/2007









Glimpses of Structure...


Concordances show local, repeated structure But what about other types of patterns?

Lexical: <A> at

Syntactic: <Noun> <Verb> <Object>


Phrase Nets [van Ham et al.]


- Look for specific **linking patterns** in the text:
 - 'A and B', 'A at B', 'A of B', etc
 - Could be output of regexp or parser.
- Visualize patterns in a node-link view
 - Occurrences -> Node size
 - Pattern position -> Edge direction




humble


Node Grouping

















Document Content


Understand Your Analysis Task

Visually: Word position, browsing, brush & link Semantically: Word sequence, hierarchy, clustering Both: Spatial layout reflects semantic relationships


The Role of Interaction

Language model supports visual analysis cycles Allow modifications to the model: custom patterns for expressing contextual or domain knowledge

Evolving Documents



This is a test document to demonstrate the use of tracking changes. The characters in black font represent the original document while the characters in red font represent the changes which are being tracked.



Visualizing Revision History

How to depict contributions over time?

Example: Wikipedia history log

Chocolate


Revision history

Legend: (cur) = difference with current version, (last) = difference with preceding version, M = minor edit

- (cur) (last) . . 12:01, 20 Aug 2003 . . Dysprosia (neaten to do, rearrange see also)
- (cur) (last) . . 11:59, 20 Aug 2003 . . Patrick
- (cur) (last) . . 11:52, 20 Aug 2003 . . 81.203.98.109
- (cur) (last) . . M 18:36, 6 Aug 2003 . . Manika (corrected spelling)
- (cur) (last) . . 18:32, 6 Aug 2003 . . Daniel Quinlan (removing obscure heraldry information, belongs on [[heraldry]] if anywhere)
- (cur) (last) . . 15:21, 6 Aug 2003 . . Rmhermen
- (cur) (last) . . 15:08, 6 Aug 2003 . . Cyp (Chocolate often has odd shapes.)
- (cur) (last) . . 19:14, 3 Aug 2003 . . Daniel C. Boyer ("chocolate" as shade of gules in heraldry)
- (cur) (last) . . M 02:00, 30 Jul 2003 . . Evercat (fmt)

Animated Traces [Ben Fry]





Diff style:

Side-by-side V


☐ Enable syntax coloring


Files Changed:

sshconsole.js: 1 change [1]

```
/home/toddw/src/sshconsole-read-only/content/sshconsole.js
                                                                                 50 lines hidden [Expand]
51
           term = new VT100(80, 24, "term");
                                                                                          51
                                                                                                     term = new VT100(80, 24, "term");
                                                                                          52
52
          // term.debug = 1;
                                                                                                    // term.debug = 1;
53
                                                                                          53
                                                                                                    term.curs set(true, true, term box element);
          term.curs_set(true, true, _term box element);
54
           term.noecho();
                                                                                                     term.noecho();
55
56
          // Replace the go getch function with our own, this is called
                                                                                                    // Replace the go getch function with our own, this is called
57
          // for every keypress that is passed through the terminal to the
                                                                                                    // for every keypress that is passed through the terminal to the
58
          // remote server. The character is already converted into the
                                                                                                    // remote server. The character is already converted into the
59
          // required VT100 character sequence(s).
                                                                                                    // required VT100 character sequence(s).
60
          VT100.go getch = function() {
                                                                                                    VT100.go getch = function() {
61
                                                                                          61
               var vt = VT100.the vt ;
                                                                                                         var vt = VT100.the vt ;
62
              if (vt === undefined) {
                                                                                          62
                                                                                                        if (vt === somevalue) {
63
                                                                                          63
                       return;
                                                                                                                 return;
               }
                                                                                                         }
65
               var ch = vt.key buf .shift();
                                                                                                         var ch = vt.key buf .shift();
66
               //dump("go getch :: ch: '" + ch + "'\n");
67
               if (ch === undefined) {
                                                                                                         if (ch === undefined) {
68
                       return:
                                                                                                                 return:
69
70
               if (vt.echo_ \&\& ch.length == 1) {
                                                                                                         if (vt.echo_ \&\& ch.length == 1) {
                                                                                          70
71
                       vt.addch(ch);
                                                                                                                vt.addch(ch);
                                                                                          71
                                                                                                                 vt.refres();
72
              }
                                                                                          72
73
               if ( ssh channel) {
                                                                                          73
                                                                                                         if ( ssh channel) {
                                                                                          74
                   ssh channel.sendStdin(ch);
                                                                                                             ssh channel.sendStdin(ch);
75
76
                                                                                          76
          }
                                                                                          77
77
78
          var serverTextbox = document.getElementById("sshconsole server textbox");
                                                                                                    var serverTextbox = document.getElementById("sshconsole server textbox");
79
          var connectionText;
                                                                                                    var connectionText;
80
          if ('connectionText' in window.arguments[0]) {
                                                                                                     if ('connectionText' in window.arguments[0]) {
81
               connectionText = window.arguments[0].connectionText;
                                                                                                         connectionText = window.arguments[0].connectionText;
          } else {
82
                                                                                                    } else {
                                                                                174 lines hidden [Expand]
```

History Flow [Viegas et al.]





(Revision as of 22:56 4 Jun 2003)

"Abortion," in its most commonly used so refers to the deliberate early termination pregnancy, resulting in the death of the gr fetus. [1] Medically, the term also refers to early termination of a pregnancy by natur ("spontaneous abortion" or miscarriage, w 1 in 5 of all pregnancies, usually within the weeks) or to the cessation of normal grow body part or organ. What follows is a disci the issues related to deliberate or "induce

Methods

Depending on the stage of pregnancy and performed by a number of different method a chemical abortion is the usual method, t mifepristone is usually the only legal meth although research has uncovered similar of from methotrexate and misoprostol. Conc with chemical abortion and extending up u around the fifteenth week suction-aspiration vacuum abortion is the most common app replacing the more risky dilation and cure C). From the fifteenth week up until aroun eighteenth week a surgical dilation and ex (D & E) is used.

As the fetus size increases other technique be used to secure abortion in the third trip premature expulsion of the fetus can be in with prostaglandin, this can be coupled wit injecting the amniotic fluid with saline or u solution. Very late abortions can be broug by the controversal intact dilation and extra & X) or a hysterotomy abortion, similar to caesarian section-


The controversy

The morality and legality of abortion is a ! important topic in applied ethics and is als discussed by legal scholars and religious p Important facts about abortion are also re by sociologists and historians.

Abortion has been common in most societ although it has often been opposed by sor institutionalized religions and governments century politics in the <u>United States</u> and <u>E</u>r the 20th century. Additionally, abortion is accepted in China. India and other populo countries. The Catholic Church remains o the procedure, however, and in other coun notably the <u>United States</u> and the (predom Catholic) Republic of Ireland, the controve extremely active, to the extent that even of the respective positions are subject to I debate. While those on both sides of the are generally peaceful, if heated, in their of their positions, the debate is sometimes characterized by violence. Though true of sides, this is more marked on the side of t opposed to abortion, because of what they the gravity and urgency of their views.

The central question

The central question in the abortion debat clash of presumed or perceived rights. On hand, is a fetus (sometimes called the "un pro-life/anti-abortion advocates) a human with a right to life, and if so, at what point pregnancy does the fetus become human? other hand, is a fetus part of a woman's b



Conversations

Visualizing Conversation

Many dimensions to consider:

Who (senders, receivers)

What (the content of communication)

When (temporal patterns)

Interesting cross-products:


What x When -> Topic "Zeitgeist"

Who x Who -> Social network

Who x Who x What x When -> Information flow

Naming Names


Names used by major presidential candidates in the series of Democratic and Republican debates leading up to the Iowa caucuses.



Usenet Visualization [Viegas & Smith]

Show correspondence patterns in text forums Initiate vs. reply; size and duration of discussion





Jun Feb Mar Jan May Jun Jul Aug Sep Did New Dec Maket Folloots.


Week of May 6, 2001

N Commis Scientificate Cornett?


8450H2	of of posits
An Publisher options is:	200
a General Scientifi.	**
CAD SESTMENT.	32
Praissa serea ins	7
ENDED TON	10
With considering later .	8
Downlin agent file.	15
STREET SHOULD BE SHOULD BE	- 15
ADMINISTORY.	100
GOSTANS GHE	7
Convention particular	-
THE APPRICAL STORES	
President Dock St.	- 7
EST A EXPOSION	
A Fatomered Dono	
A resident from the	
NAME AND ADDRESS OF	
The Park of the Con-	- 2
DESCRIPTION OF THE PERSON NAMED IN	
NAME AND ADDRESS OF	
AND REAL PROPERTY.	
AT ISSUED IN COLUMN	
Consideration of the	
Contract No. 12	- 1
A STATE OF THE PARTY OF THE PAR	

Email Mountain [Viegas]

Conversation by person over time (who x when).





Themail [Viegas]



One person over time, TF.IDF weighted terms







Document Collections

Named Entity Recognition

Label named entities in text:

John Smith -> PERSON


Soviet Union -> COUNTRY

353 Serra St -> ADDRESS


(555) 721-4312 -> PHONE NUMBER

Entity relations: how do the entities relate?


Simple approach: do they co-occur in a small window of text?



Parallel Tag Clouds [Collins et al.]



Theme River [Havre et al.]




Similarity & Clustering

Compute vector distance among docs

For TF.IDF, typically cosine distance Similarity measure can be used to cluster

Topic modeling

Assume documents are a mixture of topics
Topics are (roughly) a set of co-occurring terms
Latent Semantic Analysis (LSA): reduce term matrix
Latent Dirichlet Allocation (LDA): statistical model



Effective statistical models for syntactic and semantic disambiguation

Student: Kristina Nikolova Toutanova Advisor: Christopher D. Manning

Computer Science (2005)

Keywords: Syntactic, Semantic, Tree kernels, Parsing

Abstract:

This thesis focuses on building effective statistical models for disambiguation of sophisticated syntactic and semantic natural language (NL) structures. We advance the state of the art in several domains by (i) choosing representations that encode domain knowledge more effectively and (ii) developing machine learning algorithms that deal with the specific properties of NL disambiguation tasks--sparsity of training data and large, structured spaces of hidden labels. For the task of syntactic disambiguation, we propose a novel representation of parse trees that connects the words of the sentence with the hidden syntactic structure in a direct way. Experimental evaluation on parse selection for a Head Driven Phrase Structure Grammar shows the new representation achieves superior performance compared to previous models. For the task of disambiguating the semantic role structure of verbs, we build a more accurate model, which captures the knowledge that the semantic frame of a verb is a joint structure with strong dependencies between arguments. We achieve this using a Conditional Random Field without Markov independence assumptions on the sequence of semantic role labels. To address the sparsity problem in machine learning for NL, we develop a method for incorporating many additional sources of information, using Markov chains in the space of words. The Markov chain framework makes it possible to combine multiple knowledge sources, to learn how much to trust each of them, and to chain inferences together. It achieves large gains in the task of disambiguating prepositional phrase attachments.


Stanford Dissertation Browser

with Jason Chuang, Dan Ramage & Christopher Manning



Topic Distance E Area of circles denote number of Depts with no thesis produced an	theses in a given year, e faded out.	_		
Purple = Medicine Green = Sciences Blue = Engineering Orange/Pink = Humanities	Antajo	Modern Thoughts Sync. Rad. Labo Food Research Food Research	Art & Art Hist.	
	Collabrica Por			French & Italian
	St. & Gyn.		Elessica Electrical Control of the C	Fernan Slavic
Neu	Neuroblo			Vnz
Microbio, & Medicin Medicine (Endo/Ger/Met)	mmu. e (Gastro)o			Phil. Relig. St. Anth. Comm.
	/Pharm Medicine Health & Policy		Inguistics	Poli. Sci. Pociology
	Genetics			Blology
	Dermatology Biochemo	Comp. Sci.		Ash Cell Biology
	Are Pard Fin	St. Eng.	Blockno. & Ast	Asth. Marine St.
		Indust, Eng. Flec. Eng. Econ.	Geophys Geolog BioEng. ChemEng	Add to the state of the state o
			909	-





Effective statistical models for syntactic and semantic disambiguation


Student: Kristina Nikolova Toutanova Advisor: Christopher D. Manning

Computer Science (2005)

Keywords: Syntactic, Semantic, Tree kernels, Parsing

Abstract:

This thesis focuses on building effective statistical models for disambiguation of sophisticated syntactic and semantic natural language (NL) structures. We advance the state of the art in several domains by (i) choosing representations that encode domain knowledge more effectively and (ii) developing machine learning algorithms that deal with the specific properties of NL disambiguation tasks--sparsity of training data and large, structured spaces of hidden labels. For the task of syntactic disambiguation, we propose a novel representation of parse trees that connects the words of the sentence with the hidden syntactic structure in a direct way. Experimental evaluation on parse selection for a Head Driven Phrase Structure Grammar shows the new representation achieves superior performance compared to previous models. For the task of disambiguating the semantic role structure of verbs, we build a more accurate model, which captures the knowledge that the semantic frame of a verb is a joint structure with strong dependencies between arguments. We achieve this using a Conditional Random Field without Markov independence assumptions on the sequence of semantic role labels. To address the sparsity problem in machine learning for NL, we develop a method for incorporating many additional sources of information, using Markov chains in the space of words. The Markov chain framework makes it possible to combine multiple knowledge sources, to learn how much to trust each of them, and to chain inferences together. It achieves large gains in the task of disambiguating prepositional phrase attachments.



"Word Borrowing" via Labeled LDA

Summary

High Dimensionality

Where possible use text to represent text...

... which terms are the most descriptive?

Context & Semantics

Provide relevant context to aid understanding.

Show (or provide access to) the source text.

Modeling Abstraction

Understand abstraction of your language models.

Match analysis task with appropriate tools and models.

Future: from bag-of-words to vector space embeddings